

Notice of Allowability	Application No.	Applicant(s)	
	10/614,553	DE FRESART ET AL.	
	Examiner	Art Unit	
	Trung Dang	2823	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the comunication filed 1/31/06.			
2. The allowed claim(s) is/are 34-64 and 70.			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority unable of All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>4. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> </ul>	been received.  been received in Application No cuments have been received in this is of this communication to file a reply dENT of this application.  itted. Note the attached EXAMINER' es reason(s) why the oath or declarate of the submitted. Son's Patent Drawing Review (PTO-	national stage application from complying with the requirem S AMENDMENT or NOTICE tion is deficient.	ents
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 67/63  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☑ Examiner's Amenda	e	

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Dolezal on 02/21/06.

## IN THE SPECIFICATION

On page 1, line 6, after "Background of the Invention" insert a new line
-- This application is a continuation of U.S application 09/893,025, now
abandoned. --

## IN THE CLAIMS

Claim 51, at the line before the last line of claim 51, insert -- at the surface of the substrate -- after "floating region".

## Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

Claims 44, 56 and their dependent claims are allowed over prior art of record for the same reasons noted in the previous Office action.

As for claim 34, convinced by applicants' argument that the meaning of the term "lateral" relates to a direction to the side of an object (e.g. left, right) and not to the top

Application/Control Number: 10/614,553

Art Unit: 2823

or bottom of an object, the rejection of claim 34 over Tung is withdrawn because the floating region 219 is located only underneath region 228 and not to the side hence one skilled in the art would not consider region 219 to be laterally located with respect to region 228. Accordingly, claim 34 and its dependent claims are allowed over prior art of record.

For claim 51, the amendment made to claim 51 as noted in the Examiner's amendment overcomes the rejection of claim 51 over Tung because the right most floating region 219 located between the non-electrically conductive region 228 and the drain region 244 is positioned below the surface of the substrate and not at the surface of the substrate as now called for in claim 51. Accordingly, claim 51 and its dependent claims are allowed over prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trung Dang whose telephone number is 571-272-1857. The examiner can normally be reached on Mon-Friday 9:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Trung Dang

Driman Framinar

Primary Examiner

Page 4

Art Unit 2823

2/21/06